BORPLUS L.

BORO ETHANOLAMINE

DESCRIPTION

It is a product technologically advanced inasmuch the complex bond between the boron and the organic component complexing ethanolamine, allows a vehiculation more rapid and homogeneous, without creating phytotoxicity from boron, and making today one of the best products based on boron available for applications foliar and radicals.

It is believed that the boron is to be put in relation with the replacement of the sugars and especially for their mobilization from the centers of production to those of accumulation and indirectly with the production of auxins; also the reaction to photoperiod is affected by boron.

From all these observations result the complex action of boron on plant metabolism, and seems to be dominant if its importance as an activator of the processes associated with pollination and maturation of the fruit, no less important than those appearing in the cytoplasm and on the health status of the plant, also to promote increased resistance against parasitic diseases.

CHONCIMER IN THE FIELDS CHOOSE THE LIFE FERTILIZERS

Organics, Liquids, Correctives, Idrosolubles, Organ-Minerals
F.ne Rocchetta, 63 62027 San Severino Marche (MC)

CE FERTILIZER

METHOD 'AND DOSAGE

Typically is apply for fertigation at doses of 30-50 kg / ha. and for away foliar at doses of 150-400 gr. / hl.

Suitable in all cultivation:

Horticultural crops (eggplant, Pepero-tion, zucchini, tomato, strawberry, salads), Tree (citrus, olive, kiwi, apple, pear, grapes, peach, stone fruits, Industrial (cereals, sugar beet, corn, potatoes) and for cultivation FLORAL, NURSERIES AND ORNAMENTAL,

repeating more times, in function of the cultivation needs.

The doses given are the result of applied and calculated for distributions to normal volumes of water. For the correct application in the specific climate, soil and crop, it is advisable to consult your service technician. Respect the time of shortage.

COMPOSITION

Boron (B) soluble in water 8,5%

FIRST MATERIALS: BORO ETHANOLAMINE





The methods of analysis not reported are internal methods of the manufacturer.